

Drug Use

Drug name	Recently used	Drug name	Recently used
Heroin		Crystal methamphetamine	
Methadone	Non- Prescribed / Prescribed	Pharmaceutical stimulants (e.g., Ritalin, dexamphetamine)	Non- Prescribed / Prescribed
Physeptone	Non- Prescribed / Prescribed	Cocaine	
Buprenorphine (Subutex) TABLET	Non- Prescribed / Prescribed	Alcohol	
Bupe-naloxone (Suboxone) FILM	Non- Prescribed / Prescribed	Cannabis and/or cannabinoid-related products	Non- Prescribed / Prescribed
Babazine		GHB/GBL/1,4-BD (liquid E)	
Oxycodone (e.g., OxyContin, Targin, Endone)	Non- Prescribed / Prescribed	Tobacco (this includes tobacco that has been mixed with cannabis)	
		Nicotine Pouches	
Morphine	Non- Prescribed / Prescribed	E-cigarette	Non- Prescribed / Prescribed
Fentanyl (e.g., Durogesic patches)	Non- Prescribed / Prescribed		
Other opioids (codeine/ tapentadol/tramadol/other)	Non- Prescribed / Prescribed	Benzodiazepines (e.g., Valium, Diazepam, Xanax, Kalma)	Non- Prescribed / Prescribed
Pregabalin (e.g., Lyrica)	Non- Prescribed / Prescribed	Antipsychotics (e.g., Seroquel)	Non- Prescribed / Prescribed
Gabapentin (e.g., Neurontin)	Non- Prescribed / Prescribed	Kava	
Meth powder (speed)		Other (LSD/mushrooms/ketamine/ DMT/MDMA/Non-prescribed steroids/unisom gel caps/inhalants (e.g., amyl))	
Meth Base (paste)			

New Psychoactive Substances (NPS)

'New' drugs that mimic the effects of opioids
W-18
Isotonitazene
U-47700
Carfentanil
Furanylfentanyl
Acryloyfentanyl
Other fentanyl analogues
Acetylfentanyl
'New' drugs that mimic the effects of ecstasy
2C-I
2C-B (Bromo, TWO's, Trystacy)
2C-(other) e.g., B-Fly, C, D, E, P, T2, T4, T7, T21
'New' drugs that mimic the effects of amphetamines or cocaine
Mephedrone (Miaow, 4MMC)
Methylone/bk-MDMA
MDPV/Ivory Wave
Other substituted cathinone (e.g., alpha-PVP; flephedrone (4-MMC); Buphedrone; 4-MEC; 3,4-DMMC; 3-FMC; Brephedrone; Butylone etc)
PMA
'New' drugs that mimic the effects of cannabis
K2/spice
Kronic
MDMB-CHMICA
MDMB-4en-PINACA
ADB-BUTINACA
4F-MDMB-BUTICA
FUB-AM
'New' drugs that mimic the effects of psychedelics/hallucinogen drugs
DMT
5-MeO-DMT
4-AcO-DMT
Ayahuasca
Dox (e.g., DOB, DOC, DOI, DOM)
NBOMe (25I, 25B, 25C, other)
4-FA
'New' drugs that mimic the effects of benzodiazepines
Etizolam
Phenazepam
Other substances

Herbal High 'Blends', such as:

Doves

XXX

Buzz

White Revolver

Purple Bombs





























White Bull

Empathy

Cherry Bomb

Methoxetamine (MXE)

Any other NPS (please specify)

METHADONE	BUPRENORPHINE	BUPRENORPHINE-NALOXONE	MORPHINE		
<p>Methadone (syrup) <i>Amber-coloured</i> 5mg/ml</p> <p>Biodone Forte (syrup) <i>Red-coloured</i> 5mg/ml</p> <p>Physeptone 10 mg</p> 	<p>Subutex 0.4 mg (Buprenorphine)</p>  <p>Subutex 2 mg (Buprenorphine)</p>  <p>Subutex 8 mg (Buprenorphine)</p>  <p>Temgesic 200 mcg (Buprenorphine HCl)</p>  <p>Norspan patch 5mg</p>  <p>Norspan patch 10mg</p> 	<p>Suboxone Sublingual Film 2 mg/0.5 mg (Buprenorphine-naloxone)</p>  <p>Suboxone Sublingual Film 8 mg/2 mg (Buprenorphine-naloxone)</p>  <p>Suboxone 2 mg (Buprenorphine-naloxone)</p>  <p>Suboxone 8 mg (Buprenorphine-naloxone)</p> 	<p>MS Contin 5 mg</p>  <p>MS Contin 10 mg</p>  <p>MS Contin 15 mg</p>  <p>MS Contin 30 mg</p>  <p>MS Contin 60 mg</p>  <p>MS Contin 100 mg</p> 	<p>Anamorph 30mg</p>  <p>Sevredol 10mg</p>  <p>Sevredol 20mg</p>  <p>MS Mono 30mg</p>  <p>MS Mono 60mg</p>  <p>MS Mono 90mg</p> 	<p>Kapanol 100 mg</p>  <p>Kapanol 50 mg</p>  <p>Kapanol 20 mg</p> 
				<p>FENTANYL</p> <p>Fentanyl transdermal patch</p>  <p>Duragesic transdermal packet</p> 	

**Norspan patch
20mg**



MS Contin 200 mg
















MS Mono 120mg



**Duragesic transdermal
patch**



Oxycodone formulations (for PPA section, if participants need help determining what type/tablet size they last purchased)

Oxycodone Non-Tamper Proof GENERIC (Sandoz)	Oxycodone Tamper Resistant 'OP'	Oxycodone-Naloxone
Sandoz 5mg 		Targin Tablets 10/5mg 
Sandoz 10mg 		Targin Tablets 20/10mg 
Sandoz 20mg 		Targin Tablets 40/20mg 
Sandoz 40mg 		Targin Tablets 5/2.5mg 
Sandoz 80mg 		

Old Non-Tamper Oxycodone (Oxycontin OC)	Endone	OxyNorm	
	<p>Endone 5mg</p> 	<p>OxyNorm 5mg</p> 	<p>OxyNorm Solution 50mg/ml</p> 
		<p>OxyNorm 10mg</p> 	<p>OxyNorm Solution 10mg/ml</p> 
		<p>OxyNorm 20mg</p> 	<p>OxyNorm Solution 20mg/ml</p> 
		<p>OxyNorm Liquid 5mg/5ml</p> 	<p>Proladone 30mg</p> 

Scale Sheet

Criminal Activity

The next set of questions are about types of crime you may have been involved in recently. Please remember your answers are completely confidential.

- Never 0
- Less than once a week 1
- Once a week..... 2
- More than once a week..... 3
- Daily 4

AUDIT

These questions are related to your use of alcohol in the last year. Remember, any information you provide is completely confidential.

- Never 0
- Less than monthly 1
- Monthly 2
- Weekly 3
- Daily or almost daily 4

Opioid and Methamphetamine SDS

This section is about how you felt about your opioid and stimulant use in the last 6 months.

- Never or almost never 0
- Sometimes..... 1
- Often..... 2
- Always or nearly always..... 3

Kessler Psychological Distress Scale

These questions are related to how you have been feeling over the last 4 weeks. Remember, any information you provide is completely confidential.

- None of the time..... 1
- A little of the time 2
- Some of the time..... 3
- Most of the time 4
- All of the time 5

Stigma

These questions are related to you visiting a general or specialist health care worker, and how often you have felt that you were treated poorly because of your injecting drug use

- Never 0
- Rarely..... 1
- Sometimes..... 2
- Often..... 3
- Always..... 4
- Haven't seen a specialist
alcohol and other drug health
worker in the past 6
- months..... 5

- Never 0
- Rarely..... 1
- Sometimes..... 2
- Often..... 3
- Always..... 4
- Have seen a health care worker but they were not aware of my illicit drug use . 5
- Haven't seen a health care worker in the past 6 months . 6

Criminal Activity

The next set of questions are about types of crime you may have been involved in recently. Please remember your answers are completely confidential.

- Never 0
- Less than once a week 1
- Once a week..... 2
- More than once a week..... 3
- Daily 4

ADHD

The next set of questions are about experiences you have had in the past 6 months.

- Never 0
- Rarely 1
- Sometimes..... 2
- Often..... 3
- Very often 4

Menstrual Health

In the last 12 months have you experienced any of the following concerns during your period cycle(s)?

- Never 0
- Rarely 1
- Sometimes..... 2
- Often..... 3

HEALTH SERVICE/PROFESSIONAL

- | | |
|----|--|
| 1 | GP |
| 2 | Emergency Department |
| 3 | Hospital admission (inpatient) |
| 4 | Medical tent (at festival/rave) |
| 5 | Drug and alcohol counsellor |
| 6 | Hospital as outpatient |
| 7 | Specialist doctor (not including psychiatrists) |
| 8 | Dentist |
| 9 | Other health professional (i.e., chiropractor, nurse, physiotherapist) |
| 10 | Ambulance attendance |
| | Pharmacy |
| 11 | Psychiatrist |
| 12 | Psychologist |
| 13 | Needle and syringe program |
| 14 | Peer based harm reduction service (e.g., DanceWize, Save-A-Mate) |
| 15 | Other harm reduction service |
| 16 | Other (specify) |

Other Medication/Substances

BENZODIAZEPINES	OTHER MENTAL HEALTH MEDICATIONS	TRAMADOL	PREGABALIN		
Alprax 0.25mg 	Serepax 15 mg 	Seroquel 25mg tab 	Risperdal 1mg 	Tramadol SR Tablets 100mg 	Lyrica, 25mg
Alprax 0.5mg 	Serepax 30 mg 	Seroquel 50mg tab 	Risperdal 2mg 	Tramadol SR Tablets 150mg 	Lyrica, 75mg
Alprax 1mg 	Valium 2 mg 	Seroquel 100mg tab 	Risperdal 3mg 	Tramadol SR Tablets 200mg 	Lyrica, 150mg
Alprax 2mg 	Valium 5 mg 	Seroquel 200mg tab 	Risperdal 4mg 	GA Tramadol Capsules 50mg 	Lyrica, 300mg
Xanax 250 mcg 	Rivotril 0.5 mg 	Seroquel 300mg tab 	Risperdal 0.5mg 	GenRx Tramadol Capsules 50mg 	
Xanax 500 mcg 	Rivotril 2 mg 	Seroquel 400mg tab 	Risperdal Quicklet 0.5mg 	Tramedo 50mg 	
Xanax 1 mg 	Kalma 0.25mg 	Zyprexa Wafer 5 and 10mg 	Risperdal Quicklet 1mg 	Tramedo SR Tablets 100mg 	
Xanax 2mg 	Kalma 0.5mg 	Zyprexa 2.5mg 	Risperdal Quicklet 2mg 	Tramedo SR Tablets 150mg 	
Normison 10 mg 	Kalma 1mg 	Zyprexa 5mg 	Risperdal Quicklet 3mg 	Tramedo SR Tablets 200mg 	
Temaze 10 mg 	Kalma 2mg 	Zyprexa 7.5mg 	Risperdal Quicklet 4mg 		
Hypnodorm 1 mg 		Zyprexa 10mg 			

TAPENTADOL (Palexia® SR)

Palexia SR, 50mg



Palexia SR, 100mg



Palexia SR, 150mg



Palexia SR, 200mg



Palexia SR, 250mg



TAPENTADOL (Palexia® IR)

Tapentadol IR, 50mg



Prescription Access

Opioids

Buprenorphine (Subutex)
Buprenorphine-Naloxone (Suboxone)
Codeine
Fentanyl
Hydromorphone
Methadone
Morphine
Oxycodone
Pethidine
Tapentadol
Tramadol
Other pharmaceutical opioids

Benzodiazepines or sleeping tablets

Alprazolam (Xanax, Kalma)
Other benzodiazepines
(Clonazepam, Diazepam, Flunitrazepam, Nitrazepam, Oxazepam)
Zolpidem
Zopiclone
Temazepam

Stimulants

Dexamfetamine (Dexies)
Lisdexamfetamine (Vyvanse)
Methylphenidate (Ritalin, Concerta)
Modafinil (Modavigil)

Other restricted medicines

Ketamine
Quetiapine
Pregabalin
Gabapentin (e.g., Neurontin)
Cannabis-based medicines

Risk Communication

Example drug warnings:

NSW Health has issued a drug warning:

Fentanyl and acetyl fentanyl are circulating in Sydney and may be sold as methamphetamine. These drugs are dangerous and can cause overdose and death.

Look out for unexpected effects such as drowsiness, slow breathing, loss of consciousness

Stay safe:

- Ring 000 if you or anyone else experiences these symptoms
- Don't use alone
- Carry naloxone
- Test your drugs the best way you can

Drug Warning



Light blue “Lego” MDMA pills circulating in NSW

- Up to 3x common strength
- Dose may be variable in pill

Remember:

- Dropping in the heat is riskier
- High temps increase the neurotoxic effects of MDMA
- If you're planning on taking don't peak in the heat

Look out for:

- Excessive sweating or stopping sweating when active/hot
- Uncontrolled repetitive movements
- Confusion or agitation

Get your mates help if they are in trouble

Stay safe

- Stay as hydrated and as cool as possible
- Avoid mixing and don't use alone
- Seek medical help ASAP or call 000 if unwell

Modes of Purchasing


Social networking and messaging apps: Refers to a type of online community such as Facebook or Instagram; messaging apps such as Whatsapp and snapchat; and dating apps like grindr and tinder.



Surface web: Any website accessible without the need for any special connection routing with a '.com' address.



Dark web: Any website only accessible via The Onion Router (TOR) with a '.onion' URL (e.g. Dark Market, White House Market, Monopoly Market, Cannazon).




Face-to-Face: Refers to purchasing illicit drugs in person.



Forms of Cocaine

Picture 1



Picture 2



Picture 3



Picture 4



Filters



Sterifilt BASIC®
A sterile 10µ single-use syringe filter



Sterifilt+®
A sterile 0.22µ Antibacterial single-use syringe filter



Stericup®
Sterile single-use 2.5ml aluminium cooker, cotton filter, post-injection pad, available in 5 colours, pre-attached handle



Wheel filter