

## Linux Desktop email client configuration

These guides use Ubuntu as an example but will also work with other Linux distributions with minor adjustments. If the correct configuration is supplied, you don't need anything from the service desk to activate or use O365 email accounts on a Linux desktop.

We suggest using apt and not flatpack or snap on Ubuntu for installation.

### Evolution

To use evolution, you must install the "evolution-ews" package.

Start the add account process: Edit menu >> Accounts

Add >> Mail Account

#### Identity


- Enter Name
- **Email address:** eg: [j.smith@unsw.edu.au](mailto:j.smith@unsw.edu.au)
- Untick **Look up mail server...**
- Receiving Email
  - **Server Type:** Exchange Web Services
  - **Username:** eg. [z1234567@ad.unsw.edu.au](mailto:z1234567@ad.unsw.edu.au)
  - **Host URL:** <https://outlook.office365.com/EWS/Exchange.asmx>
  - **OAB URL:** <https://outlook.office365.com/OAB/cd82899d-918f-4d3d-85ac-7aae65ddec7b/oab.xml>
  - **Authentication:** OAuth2 (Office365)
  - **Application ID:** d3590ed6-52b3-4102-aeff-aad2292ab01c
  - **Endpoint host:** login.microsoftonline.com
  - **Redirect URI:** urn:ietf:wg:oauth:2.0:oob
  - Click **Fetch URL** → [z1234567@ad.unsw.edu.au](mailto:z1234567@ad.unsw.edu.au) → ...
- Click Next
- Receiving Options
  - Check for new messages every: 5 mins
  - Click Next, and Next again

The Identity section of Evolution:

The screenshot shows the 'Evolution Preferences' window with the 'Account Editor' tab selected. The 'Identity' section is highlighted in the left sidebar. The main content area is divided into three sections: 'Account Information', 'Required Information', and 'Optional Information'. The 'Name' field is filled with 'craig martin'. Below it, a note states: 'The above name will be used to identify this account. Use for example, "Work" or "Personal".'. The 'Full Name' field contains 'z3528298'. The 'E-mail Address' field contains 'craig.martin1@ad.unsw.edu.au'. The 'Optional Information' section includes 'Reply-To', 'Organisation', 'Signature' (set to 'None'), and 'Aliases'.

Section	Field	Value
Account Information	Name	craig martin
	The above name will be used to identify this account. Use for example, "Work" or "Personal".	
Required Information	Full Name	z3528298
	E-mail Address	craig.martin1@ad.unsw.edu.au
Optional Information	Reply-To	
	Organisation	
	Signature	None
	Aliases	

The Receiving E-Mail section of Evolution:



## Thunderbird

Account Settings → Account Actions → Add Mail Account

Email Address: [your-email@unsw.edu.au](mailto:your-email@unsw.edu.au)

- Password: enter your zID password
- Click: **Configure Manually**

### Incoming Server

- Protocol: **IMAP**
- Hostname: **outlook.office365.com**
- Port: **993**

Sensitive

- Connection security: **SSL/TLS** (or Autodetect)
- Authentication method: **OAuth2**
- Username: [zid@ad.unsw.edu.au](mailto:zid@ad.unsw.edu.au)

### **Outgoing Server**

- Hostname: smtp.office365.com
- Connection security: **STARTTLS** (or Autodetect)
- Port: **587**
- Authentication method: **OAuth2** (or Autodetect)  
(If OAuth2 isn't visible, set Connection security to STARTTLS, close the window or skip for now, then come back and try editing this again)
- Username: [zid@ad.unsw.edu.au](mailto:zid@ad.unsw.edu.au)
- When finished click: **Advanced config**